

Speed Queen®

Shepard Street, Ripon, WI 54971 1-800-345-5649

Dryers

- Durable galvanized steel cylinder with an extra-large 7.0 cu. ft. volume
- Efficient dryer heating with 25,000 Btu (gas models) and 5,320 Watts (electric models)
- 3-Year parts warranty
- Wide door opening (2.06sq. ft.) is the largest in the industry, offering customers easy loading and unloading



Single Dryers

At 7.0 cu. ft., the dryer’s capacity is spacious enough to handle large loads. The cylinder capacity also promotes fast drying due to increased tumble action. The dryer’s capacity and drying efficiency combine to get customers in and out faster increasing their satisfaction.

Because Speed Queen’s lint filter is located upfront, it’s highly visible and easy to keep clean. Our dryer door opening is 2.06 sq. ft. — the largest in the industry. The larger opening makes loading and unloading a breeze. The door is reversible, giving you flexibility in your laundry room layout. Speed Queen’s two-piece front panel reduces down-time for service. The unit’s motor, blower, heating element, gas valve and thermostats can be serviced through the lower panel without disconnecting the door switch. A quiet, efficient blower system, with superior airflow of 220 cu. ft. per minute, produces quick drying results, while keeping operating costs low.

Stack Washer/Dryer Dryer/Dryer

Washer/dryer stack units have the same hook-ups and connections as standard washers and dryers. The stacks also come pre-assembled to simplify installation. Stack units share the same high-quality options of standard washers and dryers but occupy a smaller footprint. Just like their stand-alone counterparts, Speed Queen stacks are 100 % front serviceable to limit downtime for service.

Controls NetMaster

The control helps owners fully harness technology to maximize store profitability and comes with a factory-installed coin drop or card reader. Speed Queen’s NetMaster Control is the industry standard for owners seeking the utmost command of their coin laundry investment. NetMaster gives you the power of full programmability and enables owners to tailor their wash process for their particular market needs. As a business management tool, NetMaster offers owners advanced functions such as special and time-of-day promotional pricing, multilevel vend and operational reports including equipment usage data.

Dryers Specifications

	SDEA07, SDEB07, SFB07, SDET07†, SDEX07, SFET07†, SFX07* - Electric SDGA09, SDGB09, SFGT09†, SDGT09†, SDGX09†, SFGB09, SFGX09* - Gas	SDEF07, SDEY07, SFER07, SFREY07 - Electric SDGF09, SFGF09, SFGY09, SDGY09 - Gas	SDE907† - Electric SDG909† - Gas
Control	NetMaster or MDC/Coin	NetMaster or MDC/Card	Biomechanical/Coin
Basket/Cylinder Volume - cu.ft.(liters)	7.0 (198)	7.0 (198)	7.0 (198)
Temperature Selections	4	4	4
Reversible Door	Yes	Yes	Yes
Lint Screen Mounting	Secured	Secured	Secured
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	43" (1092)	43" (1092)	43" (1092)
Work Surface Height - in (mm)	Rear Control: 36" (914) Front Control: 43" (1092)	Rear Control: 36" (914) Front Control: 43" (1092)	Rear Control: 36" (914) Front Control: N/A
Weight - lb (kg)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)
Shipping Weight - lb (kg)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA, Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA, Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA, Star, CE, Queensland Australia, Australia Gas Association

* Limited Model Available
† Available in Europe only

Micro-Display Control (MDC)

This control’s digital display gives your laundry a more high-tech look. Our Micro-Display Control (MDC) shows vend price, while customers stay informed about the wash process through cycle status lights and a digital cycle countdown. MDC offers four cycle selections and comes with a single coin drop installed that is easy for store owners to program the vend price. The control also can interface with a variety of after-market card reader systems.

Electromechanical Control

This control is defined by its inexpensive simplicity. The electromechanical control’s straight-forward design offers customers simple water temperature and fabric selections. Cue lights keep them aware of what wash cycle the washer is in or if the dryer is in use. This control will work with the coin slide manufacturer of the owner’s choosing.

Activations

Card Activated

Cashless laundries increase overall convenience for customers and owners. Card payment systems end the need for customers to carry pockets of change to the laundry. The system's smart cards increase customer safety and create a higher level of customer loyalty.



World Coin Drop

This activation offers greater versatility than a standard coin drop. Utilizing electronic signature technology, the World Coin Drop measures each inserted coin's characteristics and matches it against pre-programmed standards. Coins are either accepted or rejected in less than a second. A learning function enables coin laundry owners to set machines to accept other coins or tokens. This activation can be easily reprogrammed to accept different coins and tokens.



Single or Dual Coin Drop

An all-metal design reduces coin jamming and is easy to use. A dual coin drop option is available for various coin denominations. Coin drops can accommodate vend price changes owners implement by reprogramming controls.



Coin Slide

Coin slides offer an inexpensive, reliable activation option. Coin slides were the industry standard for years because of their simple, dependable operation.

Stack Dryers Specifications

	SSEA17†, SSEB07†, SSEB17†, SSEX07†, SSET07†, SSET17† - Electric SSGA19†, SSGB09†, SSGB19†, SSGX09†, SSGT09†, SSGT19†, SSGX19* - Gas	SSEF07, SSEF17, SSEY07, SSEY17 - Electric SSGF09, SSGF19, SSGY09, SSGY19 - Gas	SSE907†, SSE917† - Electric SSG909†, SSG919† - Gas
Control	Net/Master® or MDC/Coin	Net/Master® or MDC/Card	Electromechanical/Coin
Basket/Cylinder Volume - cu. ft. (liters)	7.0 (198)	7.0 (198)	7.0 (198)
Temperature Selections	4	4	4
Door Type	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)
Reversible Door	Yes - Solid Door/No - See-Thru Door	Yes - Solid Door/No - See-Thru Door	Yes - Solid Door/No - See-Thru Door
Lint Screen Mounting	Secured	Secured	Secured
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	76 5/8" (1946)	76 5/8" (1946)	76 5/8" (1946)
Weight - lb (kg)	Electric: 265 (120) Gas: 275 (125)	Electric: 265 (120) Gas: 275 (125)	Electric: 265 (120) Gas: 275 (125)
Shipping Weight - lb (kg)	Electric: 280 (127) Gas: 290 (132)	Electric: 280 (127) Gas: 290 (132)	Electric: 280 (127) Gas: 290 (132)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association

Stack Washer/Dryers Specifications Refer to the separate washer and dryer charts for all other specifications of stacked unit.

	STEA77*, STEB77, STEK77, STEI77 - Electric STGA79, STGB79, STGA79*, STGT79, STGA73 - Gas	STEF77, STEY77 - Electric STGF79, STGY79 - Gas
Control	Net/Master® or MDC/Coin	Net/Master® or MDC/Card
Width - in (mm)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)
Height - in (mm)	76 5/8" (1946)	76 5/8" (1946)
Weight - lb (kg)	Electric: 360 (163) Gas: 365 (165)	Electric: 360 (163) Gas: 365 (165)
Shipping Weight - lb (kg)	Electric: 390 (177) Gas: 395 (179)	Electric: 390 (177) Gas: 395 (179)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association

*Control Model Available